
+41 44 810 21 50 Tel: +41 44 810 23 50 Fax: E-mail: info@geosig.com Web: www.geosig.com




GeoDAS Software



GeoDAS has been designed to meet requirements with respect to almost every possible application and can integrate/interact with many other software.


Versatile Instrument Setup





Advanced Station Map – ASM*

Display of stations with colour coded state of health on a googlemap or on a fixed image with associated coordinates with direct access to each station's setup / web interface.



GeoDAS software is a graphical Microsoft Windows-based application running under Windows OS. Virtual machines or wrapper applications can be used to enable its many features to run under Linux, Mac OS, Unix and other operating systems too.

GeoDAS, when compared to any similar application, provides the most comprehensive, intuitive and versatile features available in the earthquake, seismic, structural, dynamic and static monitoring and measuring industry.

General Tasks - COM*

- Instrument, Network and System setup
- State of Health (SOH), logging and permanent or periodical monitoring of instrument/system status
- Communication links administration and monitoring supporting SEEDlink and GSBU datastreams
- Real-time data viewer and recorder with alarm and notification features
- File manipulation and format conversion into ASCII, SUDS, SAC, SEISAN, ARTEMIS, MATLAB
- Off-line data viewing and inspection

is a package excluding specific basic cables and


Data Analysis - DAP*

- Lowpass Filter
- Highpass Filter
- Baseline correction
- Integration
- Differentiation
- Vector Sum
- Cumulative Absolute Velocity (CAV) STA/LTA Ratio
- Time-domain Filtering
- Effective Values

- Damping
- Power Spectra
- FFT Magnitude
- · Terzband Spectra • Response Spectra
- JMA Intensity

- Signal Characteristics
- Analysis Templates

 ECD* is the combined package of GeoDAS-COM and GeoDAS-DAP conveniently provided together.



Other Capabilities*

GeoDAS offers also special functions, which is required for particular applications or be activated in special cases.

- Strong Motion Data Processing SMD *
- OBE / SSE Event Checks & Reports NPP *
- Support for ADC Boards ADC *
- Post-processing, reporting, notification *
- Static Measurements, Rainflow counting STM *
- Automatic Event Processing AEP *
- Automatic File Conversion to special formats AFC *
- · Customer specific file and stream handling '

*: optional features

